



# **A-Shape LED**

## 13.5A19/LED/850/FR/P/ND 4/2FB

Philips A-Shape Dimmable LED Lamps are the smart LED Alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.

#### **Product data**

General Information		
Base	E26 [ Single Contact Medium Screw]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	11000 h	
Switching Cycle	50000X	
Technical Type	13.5-100W	
Light Technical		
Color Code	850 [ CCT of 5000K]	
Initial lumen (Nom)	1500 lm	
Color Designation	Daylight	
Correlated Color Temperature (Nom)	5000 K	
Luminous Efficacy (rated) (Nom)	111.00 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and Electrical		
Input Frequency	60 Hz	
Power (Rated) (Nom)	13.5 W	
Lamp Current (Nom)	255 mA	
Wattage Equivalent	100 W	
Starting Time (Nom)	0.5 s	


0.5 s

Power Factor (Nom)	0.5
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	95 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A19 (A19)
Product Data	
Order product name	13.5A19/LED/850/FR/P/ND 4/2FB
EAN/UPC - Product	50046677559415
Order code	559419
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002311804
Net Weight (Piece)	0.050 kg

Warm Up Time to 60% Light (Nom)

## A-Shape LED


#### Dimensional drawing



13.5A19/LED/850/FR/P/ND 4/2FB 60 mm 117 mm	Product	D	с
	13.5A19/LED/850/FR/P/ND 4/2FB	60 mm	117 mm

Bulb A60 15-100W 1500lm 5000K E26 ND

#### Photometric data




	5 x 1088 be
Ner nang tapan Quarty condex Again	VGI depon
	A CONTRACT
KXXX IIIII	2
	1 Contraction
Lander of the second se	· · · · · · ·
Unincon factor table	Commence Table
transmitten an	
United by a second seco	
	240
Tong social	3000

General Uniform Lighting

Calculus Pressnenista 43 Philips Lighting B.X. Page: 11

#### LEDbulb 14W E26 A9 850 FR




LEDbulb E26 A9 FR 1

LEDbulb 14W E26 A9 850 FR

### A-Shape LED

#### Lifetime



15K LED

15K LMP



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2020, June 23 - data subject to change