



PAR38 LED

14PAR38/COR/930/F40/DIM/120V T20 6/1FB

Philips PAR38 LED Single Optic Lamps with AirFlux Technology improves shopping experience with superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Product data


General Information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	14-120W
Light Technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	40 °
Initial lumen (Nom)	1300 lm
Luminous Intensity (Nom)	2231 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	92.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	14 W
Lamp Current (Nom)	136 mA
Wattage Equivalent	120 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Suitable For Accent Lighting	Yes
Product Data	
Order product name	14PAR38/COR/930/F40/DIM/120V T20 6/1FB
EAN/UPC - Product	046677546953
Order code	546950
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002045304
Net Weight (Piece)	0.385 kg

PAR38 LED

Warnings and Safety


Dimensional drawing




PAR38 13.3-120W 1200lm 40D 3000K E26 D

Product	D	C
14PAR38/COR/930/F40/DIM/120V T20 6/1FB	125 mm	131 mm


Photometric data



LEDspots 14W PAR38 E26 930 40D




LEDspots 14W PAR38 E26 930 40D




LEDspots 14W PAR38 E26 930

PAR38 LED

Lifetime



LEDspots LED 25K



LEDspots LMP 25K

