



LED Corn Cobs

27CC/LED/830/ND E26 G2 BB 6/1

Philips Corn Cob HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

Product data

General information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000
Technical Type	27-100W
Light technical	
Color Code	830 [CCT of 3000K]
Initial lumen (Nom)	3500 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	129.00 lm/W
Color Consistency	ANSI 3000K quadrangle
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	27 W
Lamp Current (Nom)	300 mA
Wattage Equivalent	70-100 W
Starting Time (Nom)	1s

Warm Up Time to 60% Light (Nom)	1s
UL Type	Type B - bypass the ballast
Power Factor (Nom)	0.9
Voltage (Nom)	100-277 V
Temperature	
T-Case Maximum (Nom)	140 °F
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Plastic
Bulb Shape	Corncob
Approval and application	
Energy Consumption kWh/1000 h	27 kWh
Product data	
Order product name	27CC/LED/830/ND E26 G2 BB 6/1
EAN/UPC - Product	046677559663
Order code	559666


Datasheet, 2022, August 23 data subject to change

LED Corn Cobs

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002395504

Net Weight (Piece)	0.666 lb


Dimensional drawing



27CC/LED/830/ND E26 G2 BB 6/1


Product D C 27CC/LED/830/ND E26 G2 BB 6/1 2-3/8 in 6-3/4 in

Photometric data




Colodool Phenometrics 4.5 Philips Lighting B.V. Pages 175

LEDTForce 27W Corncob E26 830




LEDTForce 27W Corncob E26




LEDTForce 27W Corncob E26 830

LED Corn Cobs

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram

