

# LED A19-A21

## 8A19/PER/927-922/CL/G/E26/WGX 1FB T20

Philips A19/A21 LED lamps are the smart alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.

### Product data

General Information	
Base	E26 [ Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	8-60W
Light Technical	
Color Code	927-922 [ CCT of 2700K-2200K]
Beam Angle (Nom)	300 °
Initial lumen (Nom)	800 lm
Luminous Flux (Rated) (Nom)	800 lm
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2700-2200 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	8 W
Lamp Current (Nom)	85 mA
Wattage Equivalent	60 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.75
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	60 °C


Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Clear

Product Data	
XUCDM.COPY.Product.Title	8A19/PER/927-922/CL/G/E26/WGX 1FB T20
EAN/UPC - Product	046677549497
Order code	549493
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001969604
Net Weight (Piece)	0.030 kg

# LED A19-A21

## Dimensional drawing





Bulb A19 120V 8.5-60W 800lm 2200-2700K

## Product

8A19/PER/927-922/CL/G/E26/WGX 1FB T20


## Photometric data



©2020 Philips Lighting NV Page 1/1

LEDbulb CL,FR 927



LEDbulb 60W E26 A19 927 CL



LEDbulb 927 CL

# LED A19-A21

## Lifetime



LEDbulb\_15K LED

LEDbulb\_15K LMP

