



T5 High Output Energy Advantage

F54T5/841 HO EA 49W/ALTO

Philips Energy Advantage T5 HO 49W lamps are environmentally-responsible, ultra-slim and have extraordinary light output with increased energy savings.

Product data

• General Characteristics

Base	Miniature Bipin
Bulb	T5 [16 mm]
Life to 10% fail Preheat EL,3h	21000 hr
Rated Avg. Life	30000 hr
LSF HF Preheat 2000h Rated,3h	99 %
LSF HF Preheat 4000h Rated,3h	99 %
LSF HF Preheat 6000h Rated,3h	99 %
LSF HF Preheat 8000h Rated,3h	99 %
LSF HF Preheat 12000h Rated,3h	99 %
LSF HF Preheat 16000h Rated,3h	99 %
LSF HF Preheat 20000h Rated,3h	94 %

• Light Technical Characteristics

Color Code	841 [CCT of 4100K]
Color Rendering Index	80 (min), 82 (nom), 85 (max) Ra8
Color Designation	Cool White
Color Temperature	4100 K
Luminous Flux EL 25°C, Rated	4450 Lm
Luminous Flux EL 25°C, Nominal	4450 Lm
Initial Lumens	5000 Lm
Lum Efficacy Rated HF 25°C	93 Lm/W
Lum Efficacy Rated HF 35°C	102 Lm/W

LLMF HF 2000h Rated	96 %
LLMF HF 4000h Rated	95 %
LLMF HF 6000h Rated	94 %
LLMF HF 8000h Rated	93 %
LLMF HF 12000h Rated	92 %
LLMF HF 16000h Rated	91 %
LLMF HF 20000h Rated	90 %
Design Temperature	35 C
Chromaticity Coordinate X	380 -
Chromaticity Coordinate Y	380 -

• Electrical Characteristics

Watts	49 W
Lamp Wattage EL 25°C, Rated	48.0 W
Lamp Wattage EL 25°C, Nominal	48.0 W
Lamp Wattage EL 35°C	48.9 W
Lamp Voltage EL 25°C	105 V
Lamp Voltage EL 35°C	107 V
Lamp Current EL 25°C	0.460 A
Lamp Current EL 35°C	0.460 A

PHILIPS

T5 High Output Energy Advantage

Dimmable Yes

• Environmental Characteristics

Energy Efficiency Label (EEL) A
Mercury (Hg) Content 1.4 mg

• Measuring Conditions

Calibration Current 0.460 A
HF Generator Rated Voltage 222 V
Resistor 255 ohm

• Product Dimensions


Base Face to Base Face A 1149.0 (max) mm

Insertion Length B 1153.7 (min), 1156.1 (max) mm
Overall Length C 1163.2 (max) mm
Diameter D 17 (max) mm

• Product Data


Product number 220525
Full product name F54T5/841 HO EA 49W/ALTO
Short product name F54T5 841 HO EA ALTO 49W
Pieces per Sku 1
eop_pck_cfg 40
Skus/Case 40
Bar code on pack 46677220525
Bar code on case 50046677220520
Logistics code(s) 927991984031
eop_net_weight_pp 104.500 gr

Dimensional drawing





F54T5/841 HO EA 49W/ALTO

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL5 HO Eco F54T5/841 HO EA 49W	1149.0	1153.7	1156.1	1163.2	17



G5

Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, July 17
data subject to change