


Presented By: Candela Corporation
 Contact Phone: (800) 922-9226
 Contact E-mail: sales@candelacorp.com

Customer Name:
 Project Name:
 Fixture Type:



GE
 Lighting

33774 - FC8T9/CW
 GE Circline T9



GENERAL CHARACTERISTICS

Lamp Type	Linear Fluorescent - Circular
Bulb	T9
Base	4-Pin (G10q)
Wattage	22
Voltage	61
Rated Life	12000 hrs
Bulb Material	Lead glass
Starting Temperature	10 K (50 °F)
LEED-EB MR Credit	707 picograms Hg per mean lumen hour
Primary Application	Standard

PHOTOMETRIC CHARACTERISTICS

Initial Lumens	1100
Mean Lumens	825
Nominal Initial Lumens per Watt	50
Color Temperature	4100 K
Color Rendering Index (CRI)	60

ELECTRICAL CHARACTERISTICS

Cathode Resistance Ratio - Rh/Rc (MIN)	4.25
Cathode Resistance Ratio - Rh/Rc (MAX)	6.5
Current Crest Factor	1.7

DIMENSIONS

Nominal Length	8.25 cm
Bulb Diameter (DIA)	1.125 cm
Bulb Diameter (DIA) (MIN)	1.03 cm
Bulb Diameter (DIA) (MAX)	1.125 cm
Inside Bulb Diameter	6.19 cm
Outside Bulb Diameter (MIN)	8 cm
Outside Bulb Diameter (MAX)	8.5 cm
Opposing Wall Inside Base	6.13 cm

PRODUCT INFORMATION

Product Code	33774
Description	FC8T9/CW
Standard Package	Case
Standard Package GTIN	00043168337748
Standard Package Quantity	12
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	12
UPC	043168980388

CAUTIONS & WARNINGS

Caution


- Lamp may shatter and cause injury if broken
 - Wear safety glasses and gloves when handling lamp.
 - Do not use excessive force when installing lamp.

Warning

- Risk of Electric Shock
 - Turn power off before inspection, installation or removal.

GRAPHS & CHARTS

Lamp Mortality



Spectral Power Distribution

