



GE
Lighting

66953 - LET75W12V

GELT75A12012RBF

Previous SKU: 901075130RBF

GENERAL CHARACTERISTICS

| | |
|------------------------------------|-----------------------|
| Ambient Temp [Max] | 50 °C |
| Ambient Temp [Min] | -10 °C |
| Case Temperature (Max) | 90 °C |
| Storage Temperature | min-(-15), max(55) °C |
| Line Voltage Regulation (+/-) | 120 V 50 Hz/60 Hz |
| Product Technology | Halogen |
| CC/CVValue | Voltage line depended |
| Efficiency | 94 % |
| Output Power (W) | 75 W |
| Output Current (A) | 6.35 A |
| Output Voltage[Min] | 11.4 V |
| Output Voltage[Max] | 11.85 V |
| Output Voltage[Nom] | 11.63 V |
| Output Voltage Range (dimming) (V) | 0-11.85 V |
| Total Harmonic Distortion (THD) | 15 % |

PRODUCT INFORMATION

| | |
|----------------------------------|-----------------|
| Product Code | 66953 |
| Description | GELT75A12012RBF |
| Alternative Unit Of Measure | EACH |
| Standard Package Quantity | 96 |
| Ean UPC | 043168669535 |
| Standard Package GTIN | 00043168669535 |
| No Of Items Per Sales Unit | 1 |
| No Of Items Per Standard Package | 96 |
| Sales Unit | Each |
| UCC | 043168669535 |
| Alternative Unit Of Measure | CASE |
| Standard Package Quantity | |
| Ean UPC | 043168669535 |
| Standard Package GTIN | 10043168669532 |
| No Of Items Per Sales Unit | |
| No Of Items Per Standard Package | |
| Sales Unit | Case |
| UCC | 043168669535 |

DIMENSIONS

| | |
|----------------|---------|
| Mount Length | 50.8 m |
| Nominal Length | 88.3 mm |
| Width | 36.5 mm |
| Height | 29.1 mm |

| Lead Color | Qty | Exit | Length (1 in.) |
|------------|-----|------|-----------------|
| White | 1 | Top | 160mm |

ELECTRICAL CHARACTERISTICS

| | |
|--------------------------------|------------------------------|
| Power Factor Correction | Passive |
| Power Factor % | 0.95 |
| Inrush Current Limiter | No |
| Output Current Frequency-Hertz | 33 kHz |
| Supply Current Freq nominal Hz | 50 Hz |
| 60 Hz | Input Current Range[Max] |
| 0.67 A | Input Current Range[Min] |
| 0.64 A | Input Voltage Range[Min] (V) |
| 108 V | Input Voltage Range[Max] |
| 132 V | Dimming Capability |