

LED Replacement Lamps

For HID-Ballast Bypass (Type B)

Project Name _____

Date _____ Type _____

Notes _____



LED replacement for HID lamps leverage the low energy and long life of LED. The existing fixture is wired to bypass the ballast, which reduces energy use and eliminates the need to check ballast compatibility. Additional maintenance savings are realized by removing costs associated with purchasing and installing ballasts.



PERFORMANCE HIGHLIGHTS:

FEATURES

Light Output Range:	3,000-65,000 Lumens
CRI:	70
CCT:	2450K, 3000K, 3500K, 4000K & 5000K
Input Voltage:	120-277V; 208-277V; 277-480V
Efficiency:	Up to 157 LPW
Wattage:	21W-450W
Life:	50,000 hours L70
Temperature Rating:	Standard LED HID -40°C to +50°C Hazardous Rated LED HID -20°C to +65°C
Rating:	Damp
Fixtures:	Open or Enclosed
Fixtures UL Certified for Hazardous Locations:	GE Lighting Filtr-Gard® H2 Series Crouse-Hinds Champ® VMV Appleton™ Mercmaster™ II Series Appleton™ Mercmaster™ III Series Hubbell Killark® VM Series Holophane Petrolux P3M® Thomas & Betts Hazlux® 3 Series

- 3.3X Longer Life (50,000 hr (B50) LED vs 15,000 hr (B50) Metal Halide)
- Uses 60-75% less energy, providing similar light output
- Tether Kit and in-line fuse included
- Horizontal support kit with ED37 & BT56

BENEFITS

• Energy + Cost Savings

For example, an LED lamp using 450 watts, saves \$3,437 in energy costs over the rated life of the lamp vs. a standard 1,075 watt Metal Halide lamp system (1000W lamp and 75W ballast) based on \$0.11 per kWh

- Ballast bypass (Type B) wiring eliminates costs and hassle associated with replacing ballasts
- Type B eliminates the need to check ballast compatibility

LIMITED WARRANTY

5 Years

Energy Savings switching from HID to LED Type B

Lamp Replacement Wattage	HID System Wattage	LED System Wattage	System Energy Savings (W)	System Energy Cost Savings Over Life of Lamp*
1000W MH	1075	450	625	\$3,437
750W HID	825	360	465	\$2,395
400W MH	460	150	310	\$1,705
250W HID	290	115	175	\$962
175W MH	210	80	130	\$715
100W HID	120	50	70	\$385

*Based on energy rates at 0.11 per kWh over the life of the lamp

LED Replacement Lamps

HID-Ballast Bypass (Type B)

Spec Tables

Project Name _____

Date _____ Type _____

Notes _____



Base Type	Watts	Order Code	Description	Volts	Case Qty ²	MOL (In)	MOD (In)	Lumens Initial	Initial Color Temp	CRI	Wattage Replacement	Rated Life L70 (Hrs) ¹	DLC [®] Listed ^{3,4}	Location Rating ^{5,6}
LED Replacement Lamps for HID														
EX39	115	93112197	LED115ED28/730	120-277	3	8.3	4.1	18,000	3000K	>70	250W HPS/350W MH	50,000	Yes	Damp
EX39	115	22622	LED115ED28/740	120-277	3	8.3	4.1	18,000	4000K	>70	250W HPS/350W MH	50,000	Yes	Damp
EX39	115	22623	LED115ED28/750	120-277	3	8.3	4.1	18,000	5000K	>70	250W HPS/350W MH	50,000	Yes	Damp
EX39	115	93139853	LED115ED28/740/277/480	277-480	3	8.3	4.1	18,000	4000K	>70	250W HPS/350W MH	50,000	Yes	Damp
EX39	115	93139854	LED115ED28/750/277/480	277-480	3	8.3	4.1	18,000	5000K	>70	250W HPS/350W MH	50,000	Yes	Damp
EX39	150	93112198	LED150ED28/730	120-277	3	8.3	4.1	23,500	3000K	>70	310W HPS/400W MH	50,000	Yes	Damp
EX39	150	22611	LED150ED28/740	120-277	3	8.3	4.1	23,500	4000K	>70	310W HPS/400W MH	50,000	Yes	Damp
EX39	150	22613	LED150ED28/750	120-277	3	8.3	4.1	23,500	5000K	>70	310W HPS/400W MH	50,000	Yes	Damp
EX39	150	93139849	LED150ED28/740/277/480	277-480	3	8.3	4.1	23,500	4000K	>70	310W HPS/400W MH	50,000	Yes	Damp
EX39	150	93139850	LED150ED28/750/277/480	277-480	3	8.3	4.1	23,500	5000K	>70	310W HPS/400W MH	50,000	Yes	Damp
EX39	200	93122140	LED200ED37/740	277-480	3	10.6	5.6	30,000	4000K	>70	400W HPS/400W MH	50,000	Yes	Damp
EX39	200	93122142	LED200ED37/750	277-480	3	10.6	5.6	30,000	5000K	>70	400W HPS/400W MH	50,000	Yes	Damp
EX39	270	93153080	LED270BT56/740/120/277	120-277	3	12.3	5.6	40,000	4000K	>70	400W HPS/400W MH	50,000	Yes	Damp
EX39	270	93153121	LED270BT56/750/120/277	120-277	3	12.3	5.6	40,000	5000K	>70	400W HPS/400W MH	50,000	Yes	Damp
EX39	270	93095547	LED270BT56/740	277-480	3	12.3	5.6	40,000	4000K	>70	400W HPS/400W MH	50,000	Yes	Damp
EX39	270	93095553	LED270BT56/750	277-480	3	12.3	5.6	40,000	5000K	>70	400W HPS/400W MH	50,000	Yes	Damp
EX39	360	93122144	LED360ED37/740	277-480	3	10.6	5.6	53,000	4000K	>70	600W HPS/750W MH	50,000	Yes	Damp
EX39	360	93122166	LED360ED37/750	277-480	3	10.6	5.6	53,000	5000K	>70	600W HPS/750W MH	50,000	Yes	Damp
EX39	450	93153122	LED450BT56/740/208/277	208-277	3	12.3	5.6	65,000	4000K	>70	750W HPS/1000W MH	50,000	Yes	Damp
EX39	450	93153123	LED450BT56/750/208/277	208-277	3	12.3	5.6	65,000	5000K	>70	750W HPS/1000W MH	50,000	Yes	Damp
EX39	450	93096445	LED450BT56/740	277-480	3	12.3	5.6	65,000	4000K	>70	750W HPS/1000W MH	50,000	Yes	Damp
EX39	450	93096547	LED450BT56/750	277-480	3	12.3	5.6	65,000	5000K	>70	750W HPS/1000W MH	50,000	Yes	Damp

Additional Information for LED Replacement Lamps for HID: Open and Closed Rated. Ballast bypass required.

These products are covered by U.S. Patents 10788163 and 10508776. These products may also be covered by other U.S. patents or pending applications.