

PRODUCT SPECIFICATIONS / INFO

2356




UPC Code: 07847780598

Country of Origin: United States

Description

20 Amp, 600 Volt, NEMA L9-20R, 2P, 3W, Flanged Outlet Locking Receptacle, Industrial Grade, Grounding - White

Color: White



Product Features

NEMA: L9-20R

Color: White

NEMA: L9-20R




AC Horsepower Ratings	
At Rated Voltage	3 HP
Environmental Specifications	
Flammability	Rated V-2 per UL94
Operating Temperature	-40C to 60C
Mechanical Specifications	
Terminal ID	Brass-Hot, Green-Ground, Silver-Neutral
Terminal Accom.	18-10 AWG
Product ID	Ratings and NEMA I.D. permanently marked on device
Termination	Back

Electrical Specifications	
Grounding	Grounding
Amperage	20 Amp
Voltage	600 Volt
NEMA	L9-20R
Pole	2
Wire	3
Dielectric Voltage	Withstands 2000V per UL498
Current Limiting	Full Rated Current
Temperature Rise	Max 30C after 250 cycles OL at 200 percent rated current

Material Specifications	
Face Material	Nylon
Body Material	Nylon
Line Contacts	Brass .035 Thick
Terminal Screws	Brass 10-32
Grounding Screw	Brass 8-32
Strap Material	Thermoplastic Nylon
Color	White

Standards and Certifications	
NEMA	WD-6
ANSI	C-73
UL498	File E13399
UL Fed Spec WC-596	File E13399
CSA C22.2 No. 42	File LR-406
NOM	057
Warranty	Lifetime Warranty

Dimensional Diagram



Wiring Diagram

