

## PRODUCT SPECIFICATIONS / INFO



**Color:** Black-White



**NEMA:** L5-30R



# 2613-PLC

**UPC Code:** 07847707508

**Country of Origin:** United States

### Description

30 Amp, 125 Volt, NEMA L5-30R, 2P, 3W, Locking Connector, Industrial Grade, Grounding, Power Indication - Black-White

### Product Features

NEMA: L5-30R

Color: Black-White


AC Horsepower Ratings	
At Rated Voltage	2 HP
Environmental Specifications	
Flammability	Rated V-2 per UL94
Operating Temperature	-40C to 60C
Mechanical Specifications	
Terminal ID	Brass-Hot, Green-Ground, Silver-Neutral
Terminal Accom.	18-10 AWG
Product ID	Ratings are permanently marked on device
Cord Range	.385 - .860
Wire Gauge	16-8 AWG

Electrical Specifications	
Grounding	Grounding
Amperage	30 Amp
Voltage	125 Volt
NEMA	L5-30R
Pole	2
Wire	3
Dielectric Voltage	Withstands 2000V per UL498
Current Interrupting	Certified for current interrupting at full rated current
Temperature Rise	Max 30C after 250 cycles OL at 200 percent rated current

Material Specifications	
Body Material	Super Tough Nylon
Back Cover	Thermoplastic
Wire Module	Nylon
Cord-Clamp	Nylon
Clamp Insert	Nylon
Blades/Contacts	Solid Brass
Terminal Screws	Brass
Assembly Screws	Steel, Zinc Plated
Color	Black-White

Standards and Certifications	
NEMA	WD-6
ANSI	C-73
UL498	File E13393
UL Fed Spec WC-596	File E13393
CSA C22.2 No. 42	File LR-406
NOM	057
Warranty	Lifetime Warranty

### Dimensional Diagram



# Wiring Diagram

