

PHILIPS

Lighting



MSD Platinum (Touring/Stage)

MSD Platinum 21 R 1CT/8

The MSD Platinum lamps open up new levels of creative freedom in entertainment lighting, with powerful, compact and brilliantly intense light. Their compact, lightweight design provides the freedom to create smaller, lighter luminaires – for use at any location on stage. And their short arc, high color temperature and innovative reflector produce a sparkling, high beam intensity for outstanding color reproduction. They also offer long and reliable lifetime, high efficacy and fast replacement times. It all adds up to an intensely exciting creative experience.

Product data

General Information		Luminous Efficacy (rated) (Nom)		33 lm/W
Base	- [-]	Color Rendering Index (Nom)	-	
Operating Position	Universal [Universal]	Operating and Electrical		
Main Application	Stage/Touring	Power (Rated) (Nom)	470 W	
Life to 50% Failures (Nom)	1500 h	Controls and Dimming		
System Description	Reflector-E21.4	Dimmable	Yes	
Light Technical		Mechanical and Housing		
Color Code	2	Cap-Base Information	na [-]	
Initial lumen (Min)	14100 lm	Luminaire Design Requirements		
Initial lumen (Nom)	15600 lm	Bulb Temperature (Max)	900 °C	
Chromaticity Coordinate X (Max)	312	Pinch Temperature (Max)	350 °C	
Chromaticity Coordinate X (Min)	282	Product Data		
Chromaticity Coordinate X (Nom)	297	Order product name	MSD Platinum 21 R 1CT/8	
Chromaticity Coordinate Y (Max)	315			
Chromaticity Coordinate Y (Min)	285			
Chromaticity Coordinate Y (Nom)	300			
Correlated Color Temperature (Nom)	8000 K			

MSD Platinum (Touring/Stage)

EAN/UPC - Product	8718696678268
Order code	323659
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	8

Material Nr. (12NC)	928197805314
Net Weight (Piece)	110.000 g

Dimensional drawing

D

Product	D (max)	O	C (max)
MSD Platinum 21 R 1CT/8	54 mm	1.2 mm	60 mm

MSD Platinum 21 R

Photometric data

