



HIGH COLOR QUALITY, ENCLOSED FIXTURE COMPATIBLE LED LAMP FOR USE IN A19 COMPATIBLE FIXTURES AND OTHER INDOOR AND OUTDOOR APPLICATIONS

OUTPUT RANGE 600 lumen

BEAM ANGLE Omnidirectional

COLOR METRICS CCT: 2700K  
Color Rendering  
CIE Metrics: CRI 75, R9 70

APPLICATION Incandescent replacement for indoor and outdoor applications



zero blue



not dimmable



damp rated

## ZERO BLUE WITH 100% VISUAL APPEAL

### A HEALTHY GLOW IS A BEAUTIFUL THING

We designed Soraa Healthy™ lamps with our unique Soraa ZERO BLUE™ technology, which means your body recognizes the time for sleep as nature intended. Evenings are more restful, your body relaxes, and sleep comes more easily.

### SORAA ZERO BLUE TECHNOLOGY

Soraa Healthy lamps have no blue content in the spectrum (As opposed to just dimming the light and producing a warmer tone) so there is no overexposure to blue light in the evening which can negatively impact our sleep cycles and longer-term health.

Soraa's patented Zero Blue™ technology advances LED science by creating an emitter of high-quality white light without blue radiation. Based on Soraa's world leading violet LEDs, Soraa combines an engineered mix of green and red phosphors to produce a spectrum with a wide gap in the blue range.

Soraa Healthy lamps not only provide a biological benefit of no blue content to support better sleep and healthy environments, but they also retain a beautiful, soft white light quality, making these lamps functional for any space.

### FLICKER

Soraa lamps demonstrate low levels of flicker, achieving <30% flicker in both dimmed and undimmed states.


### THERMALLY COMPATIBLE

Suitable for use in fully enclosed fixtures, subject to the maximum heatsink temperature limits stated in this data sheet. Soraa lamps are designed to safely turn down in any thermal environment not conducive to minimum airflow or proper ventilation.

### ELECTRICALLY COMPATIBLE


Works with trailing edge and leading edge phase cut dimmers.

### STANDARD LED – large blue peak




Faded colors and whites

### SLEEP LED – reduced blue, unnatural yellow



Unnatural yellow tint

### SORAA ZERO BLUE LED – soft white light with no blue



Beautiful colors and whites

## LIFETIME AND WARRANTY

Warranty: 5 years based on 3 hours/day, 7 days/week

## LOCATION RATING

Suitable for damp locations

Not rated for use in wet locations, should not be exposed to liquid water (including condensation).

## OPERATING TEMPERATURE

Minimum: -40° C (ambient)

Typical: 105° C - 110° C (lamp base)

Maximum: 115° C (lamp base)

## ELECTRICAL SPECIFICATIONS

Wattage: 11W

Voltage: 120V +/- 12V

Frequency: 50/60 Hz

Power Factor: 0.95

Dimmability: <20%

Flicker Index: <0.08


Percent Flicker: <30%

## CERTIFICATIONS



UL/CUL

FCC Title 47 Part 15B

RoHS



SPECTRAL POWER DISTRIBUTION



Model Number	Product Code	CCT (K)	Total Flux (Lm)	Beam Angle (°)	Halogen Equiv (W)**	Efficacy (Lm/W)	CRI/R9	White Point (McA)
--------------	--------------	---------	-----------------	----------------	---------------------	-----------------	--------	-------------------

### HEALTHY SERIES

SH-A19-11-27-01	04476	2700	600	OMNI	40	52	75 / 70	3
-----------------	-------	------	-----	------	----	----	---------	---

\*Specifications are at stable warm operating conditions (25°C ambient) \*\*Energy Star Minimum

CCT = Correlated Color Temperature CRI = Color Rendering Index (Ra-8) White Point = White Point Accuracy in McA step

Soraa Healthy lamps are available in the following form factors: A19 – BR30 – MR16 – GU10