

The background is a dark field filled with a dense, overlapping pattern of semi-transparent squares in various shades of red and purple. A bright, glowing light source is positioned on the left side, creating a starburst effect and illuminating the surrounding squares, which fade into the dark background as they move away from the light.


EXIT & EMERGENCY LIGHTING

we know light.™

TCP's polycarbonate LED exit signs have the look of traditional units with the savings and brightness LEDs offer. Both the sign and emergency lights are perfect for damp locations.

FEATURES & BENEFITS

- Injection-molded thermoplastic ABS housing
- UL damp location rating and ETL listed
- LED lamp life of 25 years
- 90 minutes of run time on all battery backup units
- 120/277 VAC dual voltage operation
- Perfect for commercial and industrial applications



All combination units come with an extra battery as a standard feature and can run up to 12W of remote heads.

Polycarbonate Lighting

		WATTS	HEIGHT (INCHES)	WIDTH (INCHES)	DEPTH (INCHES)	AC/BATTERY BACKUP	TEMPERATURE RANGE	REPLACEMENT LAMP/BATTERY	CERTIFICATIONS
LED EXIT SIGNS, 120/277 VOLTAGE, DAMP LOCATION									
22742	RED LED Exit Sign, Universal, AC Only, White Housing	2.4W	7.25	11.8	1.8	AC Only	50°F to 104°F	N/A	NFPA LIFE Safety Code 101, NEC, ETL
22743	RED LED Exit Sign, Universal, Battery Backup, White Housing	2.3W	7.25	11.8	1.8	BBUP	50°F to 104°F	207B2	NFPA LIFE Safety Code 101, NEC, ETL
22745	GREEN LED Exit Sign, Universal, Battery Backup, White Housing	2.3W	7.25	11.8	1.8	BBUP	50°F to 104°F	207B3	NFPA LIFE Safety Code 101, NEC, ETL
20750	RED LED Exit Sign, Dual Circuit	4W	8.5	12.25	1.75	AC Only	-4°F to 113°F	N/A	UL 924, NFPA LIFE Safety Code 101
20751	GREEN LED Exit Sign, Dual Circuit	2W	8.5	12.25	1.75	AC Only	-4°F to 113°F	N/A	UL 924, NFPA LIFE Safety Code 101
ACCESSORIES									
207WG	Wire Guard for Exit Sign							207B3	Ni-Cd Battery 3.6V 300 mAh
207WGWH	White Wire Guard for Exit Sign							20734	Lead-Acid Battery 6V 4.5 Ah
207PS	Polycarbonate Shield for Exit Sign							20704	Plastic Exit Canopy
207B2	Ni-Cd Battery 2.4V 300 mAh								

		WATTS	HEIGHT (INCHES)	WIDTH (INCHES)	DEPTH (INCHES)	AC/BATTERY BACKUP	TEMPERATURE RANGE	REPLACEMENT LAMP/BATTERY	CERTIFICATIONS
EMERGENCY LIGHTS, 120/277 VOLTAGE, DAMP LOCATION									
20760	Emergency Light, 2 x 5.4W Square Heads, White Finish	10.8W	5	16	3.5	BBUP	20°F to 95°F	6V 5.4W, 939/20734	UL/ETL Listed
207606	Emergency Light, 2 x 5.4W Square Heads, White Finish, 6-Pack	1W	5	16	3.5	BBUP	20°F to 95°F	6V 5.4W, 939/20734	UL/ETL Listed
21760	Emergency Light, 2 x 5.4W Fixed Prismatic Heads, White Finish	1.5W	5	12	2.5	BBUP	20°F to 95°F	6V 5.4W, DC T5/20734	UL/ETL Listed
ACCESSORIES									
207WG	Wire Guard for Exit Sign							207R4	Double Grey Remote Waterproof Head 2 x 5.4W 6V
207R1	Single White Remote Head 6W 6V							20734	Lead-Acid Battery 6V 4.5 Ah In-Terminals
207R2	Double White Remote Head 6W 6V							20734J	Lead-Acid Battery 6V 4.5 Ah Out-Terminals
207R3	Single Grey Remote Waterproof Head 2 x 5.4W 6V							20739	Lead-Acid Battery 10 Ah

		WATTS	HEIGHT (INCHES)	WIDTH (INCHES)	DEPTH (INCHES)	AC/BATTERY BACKUP	TEMPERATURE RANGE	REPLACEMENT LAMP/BATTERY	CERTIFICATIONS
EXIT COMBO SIGNS, 120/277 VOLTAGE, DAMP LOCATION									
20684	Full LED Exit/Em. Combo, RED Letters, White Housing	1W	7.48	12.2	1.65	BBUP	32°F to 100°F	206HDS/207B4	UL 924 Listed
20685	Full LED Exit/Em. Combo, GREEN Letters, White Housing	1W	7.48	12.2	1.65	BBUP	32°F to 100°F	206HDS/207B4	UL 924 Listed
207232	2 Head Adjustable LED Economy Exit/Em. Combo, RED Letters, White Housing, 2 Pack	4W	10	22	2.75	BBUP	68°F to 104°F	939/20734	UL/ETL Listed
20784	2 Head Adjustable LED Economy Exit/Em. Combo, RED Letters, White Housing, Remote Capability	4W	15.6	21.6	4.5	BBUP	5°F to 104°F	6V 5.4W, 939/20734	UL/ETL Listed
20785	2 Head Adjustable LED Economy Exit/Em. Combo, GREEN Letters, White Housing, Remote Capability	2W	15.6	21.6	4.5	BBUP	5°F to 104°F	6V 5.4W, 939/20734	UL/ETL Listed
ACCESSORIES									
								207RT	Hand Held Remote Test Unit
207LWG	Large Wire Guard for Exit Sign							20734	Lead-Acid Battery 6V 4.5 Ah In-Terminals
207R1	Single White Remote Head 6W 6V							206HDS	White LED Emergency Heads
207R2	Double White Remote Head 6W 6V							207B4	Ni-Cd Battery 4.8VDC
207R3	Single Grey Remote Waterproof Head 5.4W 6V							20703	Plastic Exit Canopy LED Combo
207R4	Double Grey Remote Waterproof Head 2 X 5.4W 6V							206FPWH	Faceplate LED Combo

Visit www.tpci.com for more information!