

G30T8/OF



Product features and benefits

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free

Areas of application

- Air
- Water Purification
- Surface Sterilization

Technical data

General product information

Product Number	21080		
Product Name	G30T80F 25/CS 1/SKU		
Ordering Abbreviation	G30T8/OF		
Brand Name	OSRAM		
Family Brand Name	Germicidal		
General Description	30 watts, G13 base, soft glass, germicidal lamp. Lamp referenced eitheras G30T80F or HNS 30W G13.		
Application	Air and water purification, surface disinfection		

Electrical data

Nominal Wattage	30 W
Nominal Voltage	96 V
Current (A)	0.37 A

Light technical data

Average Rated Life	8000 h

Physical attributes

Base	G13
Bulb Shape	T26
Maximum Overall Length (mm)	908.8 mm
Length l (mm)	894 mm
Diameter d (mm)	26 mm
Distance a (mm)	824 mm

Additional product data

Operating Position	Any

Safety advice

To prevent possible serious injury, eyes and skin should not be exposed to direct or reflected ultraviolet light emitted by this lamp. This lamp is in Risk Group 3 per ANSI/IESNARP-27.3-96. Adequate protection should be provided by clothing, gloves, opaque materials, and ordinary window glass. Although this lamp will operate in standard fluorescent fixtures, it should not be used for general lighting applications.

Packaging Information

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
21080	4008321398888	Sleeve (SKU)	1	35.9 in x 1.2 in x 1.7 in	0.3 lb
21080	4008321398895	Shipping box (Case)	10	36.5 in x 3.3 in x 5.7 in	4 lb
21080	4008321770301	Sleeve (SKU)	1	35.9 in x 1.1 in x 1.1 in	0.4 lb
21080	4052899103368	Shipping box (Case)	25	36.6 in x 5.9 in x 6.1 in	8.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.